



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/731,222	12/09/2003	Richard Golasky	016295.1506	4594
23640	7590	08/22/2007		
BAKER BOTTS, LLP 910 LOUISIANA HOUSTON, TX 77002-4995			EXAMINER NGUYEN, TOAN D	
			ART UNIT 2616	PAPER NUMBER
			MAIL DATE 08/22/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/731,222	Applicant(s) GOLASKY ET AL.	
	Examiner Toan D. Nguyen	Art Unit 2616	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 09 December 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☒ Claim(s) 25-28 is/are allowed.
- 6) ☒ Claim(s) 1-19, 29 and 30 is/are rejected.
- 7) ☒ Claim(s) 20-24 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 09 December 2003 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>12/9/03</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

3. Claims 1-2, 6, 12-18, and 29-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bolt (US 6,766,412) in view of Hoard et al. (US 6,631,481).

For claim 1, Bolt discloses data storage media library with scalable throughput rate for data routing and protocol conversion, comprising:

issuing an original command from one of a plurality of hosts (figure 4A, reference 12), the original command is encoded in a first protocol (figure 5, reference 502, col. 14 lines 28-32) ;

receiving the original command by a protocol converting module (figure 4A,

Art Unit: 2616

reference 35, col. 8 lines 34-37);

determining an address of the one of the plurality of hosts that issued the original command (col. 9 lines 1-3, and col. 9 lines 40-42);

converting the first protocol to a second protocol, wherein the original command is encoded in the second protocol (col. 10 lines 50-51); and

sending the revised command to a target device (figure 6, reference 610, col. 17 lines 32-33).

However, Bolt does not expressly disclose adding an identifier to the original command encoded in the second protocol to make a revised command, the identifier associating the one of the plurality of hosts that issued the original command. In an analogous art, Hoard et al. disclose adding an identifier to the original command encoded in the second protocol to make a revised command, the identifier associating the one of the plurality of hosts that issued the original command (col. 6 line 36).

One skilled in the art would have recognized the adding an identifier to the original command encoded in the second protocol to make a revised command, the identifier associating the one of the plurality of hosts that issued the original command, and would have applied Hoard et al.'s fiber channel protocol in Bolt's data transfer device interface 25. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Hoard et al.'s method and apparatus for injecting an error into a waveform sent over data link in Bolt's data storage media library with scalable throughput rate for data routing and protocol conversion with the motivation being to provide source identification (S_ID)(col. 6 line 36).

For claim 2, Bolt discloses comprising converting the revised command to the original command (col. 10 lines 50-51).

For claim 6, Bolt discloses wherein the physical layer includes a SCSI target device (figure 6, reference 610, col. 17 lines 32-33).

For claim 12, Bolt discloses wherein the second protocol includes a SCSI protocol (col. 10 lines 5-51).

For claim 13, Bolt discloses wherein the protocol converting module includes a fibre channel to SCSI appliance (col. 10 lines 50-51).

For claim 14, Bolt discloses wherein the protocol converting module includes an iSCSI-SCSI appliance (col. 8 lines 35-37).

For claim 15, Bolt discloses wherein the fibre channel to SCSI appliance includes a module for determining the address of the host (col. 10 lines 50-51).

For claim 16, Bolt discloses wherein the iSCSI to SCSI appliance includes a module for determining the address of the host (col. 8 lines 35-37).

For claim 17, Bolt discloses wherein the target device includes a module for identifying the address of the host (col. 17 lines 32-33).

For claim 18, Bolt discloses wherein determining the address of the one of the plurality of hosts that issued the original command includes decoding a fibre channel frame to obtain the fibre channel port identification address, the fibre channel frame including the original command and the fibre channel identification address of the host that issued the original command (col. 17 lines 16-19).

For claim 29, Bolt discloses data storage media library with scalable throughput rate for data routing and protocol conversion, comprising:

a plurality of hosts operably connected to a switch, one of the plurality of hosts issuing an original command in a first protocol (figure 5, reference 502, col. 14 lines 28-32);

an appliance for converting the first protocol into a second protocol, the second protocol encoding the original command, the appliance including a module for encoding the address of the host that issued the original command (figure 4A, reference 35, col. 8 lines 34-37); and

a target device responsive to the command in the second protocol, the target device including a module for converting the revised command to the original command (figure 6, reference 610, col. 17 lines 32-33).

However, Bolt does not expressly disclose the encoding module adding an identifier to the command in the second protocol to make a revised command, the identifier associating the one of the plurality of hosts that issued the first command. In an analogous art, Hoard et al. disclose the encoding module adding an identifier to the command in the second protocol to make a revised command, the identifier associating the one of the plurality of hosts that issued the first command (col. 6 line 36).

One skilled in the art would have recognized the encoding module adding an identifier to the command in the second protocol to make a revised command, the identifier associating the one of the plurality of hosts that issued the first command, and would have applied Hoard et al.'s fiber channel protocol in Bolt's data transfer device

Art Unit: 2616

interface 25. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Hoard et al.'s method and apparatus for injecting an error into a waveform sent over data link in Bolt's data storage media library with scalable throughput rate for data routing and protocol conversion with the motivation being to provide source identification (S_ID)(col. 6 line 36).

For claim 30, Bolt discloses data storage media library with scalable throughput rate for data routing and protocol conversion, comprising:

issuing an original command from one of a plurality of hosts (figure 4A, reference 12), the original command is encoded in a first protocol (figure 5, reference 502, col. 14 lines 28-32);

receiving the original command by a protocol converting module (figure 4A, reference 35, col. 8 lines 34-37);

determining an address of the one of the plurality of hosts that issued the original command (col. 9 lines 1-3, and col. 9 lines 40-42);

converting the first protocol to a second protocol, wherein the original command is encoded in the second protocol (col. 10 lines 50-51); and

sending the revised command to a target device (figure 6, reference 610, col. 17 lines 32-33).

However, Bolt does not expressly disclose adding an identifier to the original command encoded in the second protocol to make a revised command, the identifier associating the one of the plurality of hosts that issued the original command. In an analogous art, Hoard et al. disclose adding an identifier to the original command

Art Unit: 2616

encoded in the second protocol to make a revised command, the identifier associating the one of the plurality of hosts that issued the original command (col. 6 line 36).

One skilled in the art would have recognized the adding an identifier to the original command encoded in the second protocol to make a revised command, the identifier associating the one of the plurality of hosts that issued the original command, and would have applied Hoard et al.'s fiber channel protocol in Bolt's data transfer device interface 25. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Hoard et al.'s method and apparatus for injecting an error into a waveform sent over data link in Bolt's data storage media library with scalable throughput rate for data routing and protocol conversion with the motivation being to provide source identification (S_ID)(col. 6 line 36).

4. Claims 3-5, 7-11, and 19 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bolt (US 6,766,412) in view of Hoard et al. (US 6,631,481) further in view of Yao et al. (US 2003/0084219).

For claims 3-5, 7-11, and 19, Bolt in view of Hoard et al. does not expressly disclose wherein the original command includes a fibre channel command. In an analogous art, Yao et al. disclose wherein the original command includes a fibre channel command (page 2, paragraph [0025]).

Yao et al. disclose further wherein the original command includes an iSCSI command (page 2, paragraph [0025] as set forth in claim 4), wherein the revised command includes a SCSI command (page 2, paragraph [0025] as set forth in claim 5), wherein the host includes a fibre channel host (figure 10, reference 235, page 5,

Art Unit: 2616

paragraph [0047] as set forth in claim 7), wherein the host includes an iSCSI host (figure 10, reference 240, page 5, paragraph [0047] as set forth in claim 8), wherein the first protocol includes a fibre channel protocol, and wherein the address of the host includes a port identification address (figure 10, reference 255, page 5, paragraph [0047] as set forth in claim 9), wherein the first protocol includes an Internet protocol, and wherein the address of the host includes an index, the index associating an Internet protocol address or iSCSI node name (as set forth in claim 10), wherein the first protocol includes an iSCSI protocol (figure 10, reference 240, page 5, paragraph [0047] as set forth in claim 11) , wherein determining the address of one of the plurality of hosts that issued the original command includes decoding an iSCSI protocol data unit to obtain an IP address and an iSCSI node name, the iSCSI protocol data unit including the original command, the IP address of the host that issued the original command, and the iSCSI node name of the host that issued the original command (page 4, paragraph [0044] as set forth in claim 19).

One skilled in the art would have recognized the wherein the original command includes a fibre channel command, and would have applied Yao et al.'s Fibre channel in Bolt's data transfer device interface 25. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention, to use Yao et al.'s system, apparatus and method for address forwarding for a computer network in Bolt's data storage media library with scalable throughput rate for data routing and protocol conversion with the motivation being disclosed addresses and commands between various protocol that may be used by network devices (page 2, paragraph [0025]).

Allowable Subject Matter

5. Claims 20-24 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

6. Claims 25-28 are allowed.

Regarding claim 25, the prior art fails to teach a combination of the steps of:

modifying the control field of the original SCSI command encoded in the SCSI protocol to include an identifier to make a revised SCSI command, the identifier associating the one of the plurality of hosts that issued the original SCSI command encoded in the fibre channel protocol, in the specific combination as recited in the claim.

Regarding claim 26, the prior art fails to teach a combination of the steps of:

encoding the port address of the host that issued the original command in the control field of the original SCSI command encoded in the SCSI protocol to make a revised SCSI command having a revised control field, in the specific combination as recited in the claim.

Regarding claim 27, the prior art fails to teach a combination of the steps of:

modifying the control field of the original SCSI command encoded in the SCSI protocol to include an identifier to make a revised SCSI command, the identifier associating the one of the plurality of hosts that issued the original SCSI command encoded in the iSCSI protocol, in the specific combination as recited in the claim.

Regarding claim 28, the prior art fails to teach a combination of the steps of:

encoding the IP index value of the host that issued the original command in the

Art Unit: 2616


control field of the original SCSI command encoded in the SCSI protocol to make a revised SCSI command having a revised control field, in the specific combination as recited in the claim.

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Toan D. Nguyen whose telephone number is 571-272-3153. The examiner can normally be reached on M-F (7:00AM-4:30PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Huy Vu can be reached on 571-272-3155. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TN
TN


HUY D. VU
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600